

Fork/Bracket/Housing










Bracket made of pressed steel, white zinc plated, double ball bearing swivel head, plastic dustguard, wheel axle with bolt and nut

Wheel: SPRg










Wheel centre made of pressed steel, gray rubber tyre, non-marking (85 Shore A), without threadguards, plastic bearing


160 - 180 kg












Swivel Castor	 mm	 mm	 mm	 mm	 mm	 mm	 gr	 kg	
EM 01 SPRg 80	80	25	106	85x100	60x80	2	695	60	+
EM 01 SPRg 100	100	30	127	85x100	60x80	2	835	75	+
EM 01 SPRg 125	125	37,5	157	85x100	60x80	2,5	1240	110	+
EM 01 SPRg 150	150	40	181	85x100	60x80	2,5	1523	130	+
EM 01 SPRg 200	200	50	242	115x141	80x105	3	3214	180	S




Swivel Castor/Brake	 mm	 mm	 mm	 mm	 mm	 mm	 gr	 kg	
EM 01 SPRg 80 F	80	25	106	85x100	60x80	2	852	60	+
EM 01 SPRg 100 F	100	30	127	85x100	60x80	2	994	75	+
EM 01 SPRg 125 F	125	37,5	157	85x100	60x80	2,5	1407	110	+
EM 01 SPRg 150 F	150	40	181	85x100	60x80	2,5	1685	130	+
EM 01 SPRg 200 F	200	50	242	115x141	80x105	3	3498	180	S




Fixed Castor	 mm	 mm	 mm	 mm	 mm	 mm	 gr	 kg	
EM 02 SPRg 80	80	25	106	85x100	60x80	1,5	395	60	+
EM 02 SPRg 100	100	30	127	85x100	60x80	1,5	535	75	+
EM 02 SPRg 125	125	37,5	157	85x100	60x80	2	970	110	+
EM 02 SPRg 150	150	40	181	85x100	60x80	2	1235	130	+
EM 02 SPRg 200	200	50	242	115x141	80x105	3	3005	180	S

Options

Options available to order SMRg wheel.

 80-100-125-150-200 [mm]



Wheel: SMRg

Wheel centre made of pressed steel, gray rubber tyre, non-marking (85 Shore A), without threadguards, roller bearing

160 - 180 kg

Fork/Bracket/Housing










Bracket made of pressed steel, white zinc plated, double ball bearing swivel head, plastic dustguard, wheel axle with bolt and nut

Wheel: SPRg

Wheel centre made of pressed steel, gray rubber tyre, non-marking (85 Shore A), without threadguards, plastic bearing












Swivel Castor

	 mm	 mm	 mm	 mm	 mm	 mm	 gr	 kg	
EM 03 SPRg 80	80	25	106	22	40	2	710	60	+
EM 03 SPRg 100	100	30	127	22	40	2	847	75	+
EM 03 SPRg 125	125	37,5	157	22	50	2,5	1289	110	+
EM 03 SPRg 150	150	40	181	22	50	2,5	1562	130	+
EM 03 SPRg 200	200	50	242	22	60	3	3183	180	S











Swivel Castor/Brake

	 mm	 mm	 mm	 mm	 mm	 mm	 gr	 kg	
EM 03 SPRg 80 F	80	25	106	22	40	2	868	60	+
EM 03 SPRg 100 F	100	30	127	22	40	2	1007	75	+
EM 03 SPRg 125 F	125	37,5	157	22	50	2,5	1453	110	+
EM 03 SPRg 150 F	150	40	181	22	50	2,5	1731	130	+
EM 03 SPRg 200 F	200	50	242	22	60	3	3396	180	S











Swivel Castor

	 mm	 mm	 mm	 mm	 mm	 gr	 kg	
EM 04 SPRg 80	80	25	106	12	2	559	60	+
EM 04 SPRg 100	100	30	127	12	2	736	75	+
EM 04 SPRg 125	125	37,5	157	12	2,5	1147	110	+
EM 04 SPRg 150	150	40	181	12	2,5	1420	130	+
EM 04 SPRg 200	200	50	242	12	3	2989	180	S




Swivel Castor/Brake

	 mm	 mm	 mm	 mm	 mm	 gr	 kg	
EM 04 SPRg 80 F	80	25	106	12	2	755	60	+
EM 04 SPRg 100 F	100	30	127	12	2	895	75	+
EM 04 SPRg 125 F	125	37,5	157	12	2,5	1313	110	+
EM 04 SPRg 150 F	150	40	181	12	2,5	1589	130	+

Options

Options available to order SMRg wheel.

 80-100-125-150-200 [mm]



Wheel: SMRg

Wheel centre made of pressed steel, gray rubber tyre, non-marking (85 Shore A), without threadguards, roller bearing

EM SERIES

Fork/Bracket/Housing

Bracket made of pressed steel, white zinc plated, double ball bearing swivel head, plastic dustguard, wheel axle with bolt and nut


Wheel: SPRg

Wheel centre made of pressed steel, gray rubber tyre, non-marking (85 Shore A), without threadguards, plastic bearing

160 - 180 kg



Swivel Castor									
	mm	mm	mm	mm	mm	mm	gr	kg	
EM 05 SPRg 80	80	25	106	M16-5/8	30	2	717	60	+
EM 05 SPRg 100	100	30	127	M16-5/8	30	2	854	75	+
EM 05 SPRg 125	125	37,5	157	M16-5/8	30	2,5	1266	110	+
EM 05 SPRg 150	150	40	181	M16-5/8	30	2,5	1539	130	+
EM 05 SPRg 200	200	50	242	M16-5/8	35	3	3112	180	S



Swivel Castor/Brake									
	mm	mm	mm	mm	mm	mm	gr	kg	
EM 05 SPRg 80 F	80	25	106	M16-5/8	30	2	874	60	+
EM 05 SPRg 100 F	100	30	127	M16-5/8	30	2	1014	75	+
EM 05 SPRg 125 F	125	37,5	157	M16-5/8	30	2,5	1432	110	+
EM 05 SPRg 150 F	150	40	181	M16-5/8	30	2,5	1708	130	+
EM 05 SPRg 200 F	200	50	242	M16-5/8	35	3	3225	180	S



Swivel Castor									
	mm	mm	mm	mm	mm	mm	gr	kg	
EM 07 SPRg 80	80	25	106	1-2-3-4-5	70	2	752	60	+
EM 07 SPRg 100	100	30	127	1-2-3-4-5	70	2	905	75	+
EM 07 SPRg 125	125	37,5	157	1-2-3-4-5	70	2,5	1299	110	+
EM 07 SPRg 150	150	40	181	1-2-3-4-5	70	2,5	1606	130	+




Swivel Castor/Brake									
	mm	mm	mm	mm	mm	mm	gr	kg	
EM 07 SPRg 80 F	80	25	106	1-2-3-4-5	70	2	917	60	+
EM 07 SPRg 100 F	100	30	127	1-2-3-4-5	70	2	1061	75	+
EM 07 SPRg 125 F	125	37,5	157	1-2-3-4-5	70	2,5	1466	110	+
EM 07 SPRg 150 F	150	40	181	1-2-3-4-5	70	2,5	1743	130	+

Options

Options available to order SMRg wheel.

80-100-125-150-200 (mm)



Wheel: SMRg

Wheel centre made of pressed steel, gray rubber tyre, non-marking (85 Shore A), without threadguards, roller bearing



Expanders: Square/Round

- 1-□ 21-24 (mm)
- 2-□ 27-30 (mm)
- 3-⊙ 20-25 (mm)
- 4-⊙ 25-30 (mm)
- 5-□ 35-40 (mm)